Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6314569").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 09:17
L2	3	(customiz\$3 with animated with menu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 09:19
L3	0	(customiz\$3 with animated with splash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 09:19
L4	2430	(customiz\$3 with menu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 09:19
L5	23	((customiz\$3 with menu) same animat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 09:19
L6	4	(customiz\$3 with animat\$3 with menu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 09:19
L7	2	((customiz\$3 with menu) same animat\$3) and @ad<"19990629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 09:38
L8	9	(html with menu) and @ad<"19990629" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 09:38

S1	2	("6956574").PN.	US-PGPUB;	OR	OFF	2006/07/12 14:00
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S2	8	(initialization or (initial near3 position) or (start\$3 near3 position)) and (objects with (predefined or code)) and (scene near3 descript\$3) and animation and (advertisement or commercial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON ·	2006/03/23 13:22
S3	27	(initialization or (initial near3 position) or (start\$3 near3 position)) and (objects with (predefined or code)) and (scene near3 descript\$3) and animation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 14:00
S4	49	(objects with (predefined or code)) and (scene near3 descript\$3) and animation and decod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 14:01
S5	8	(objects with (predefined or code)) and (scene near3 descript\$3) and animation and decod\$3 and @ad<"19990629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/23 14:59
S6	102	(objects with (predefined or code)) and (mapping) and (palette or color) and animation and decod\$3 and @ad<"19990629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:00
S7	95	(objects with (predefined or code)) and (mapping) and (palette or color) and (initializ\$4 or starting) and animation and decod\$3 and @ad<"19990629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:01
S8	9	((objects with (predefined or code)) same (mapping)) and (palette or color) and (initializ\$4 or starting) and animation and decod\$3 and @ad<"19990629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:04

			·	1		1
S9	95	(objects with (predefined or code)) and (mapping) and (palette or color) and (initializ\$4 or starting) and animation and decod\$3 and @ad<"19990629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:06
S10	0	(objects same (native adj function)) and (mapping) and (palette or color) and (initializ\$4 or starting) and animation and decod\$3 and @ad<"19990629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:06
S11		(objects same (native adj function)) and (mapping) and (palette or color) and animation and decod\$3 and @ad<"19990629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:06
S12	0	(objects same (native adj function)) and (mapping) and (palette or color) and animation and @ad<"19990629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:06
S13	96	(objects with (predefined or code)) and (mapping) and (palette or color) and (position\$3) and animation and decod\$3 and @ad<"19990629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:07
S14	75	(objects with (code)) and (mapping) and (palette or color) and (position\$3) and animation and decod\$3 and @ad<"19990629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:07
S15	56	(objects near4 (code)) and (mapping) and (palette or color) and (position\$3) and animation and decod\$3 and @ad<"19990629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:07
S16	7	(objects near4 (code)) and (object near4 mapping) and (palette or color) and (position\$3) and animation and decod\$3 and @ad<"19990629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:08

,			·		,	
S17	27	(native adj function) and (position\$3) and (object or (graphic\$2 adj representation)) and (color or palette) and ((screen adj descript\$3) or (scene adj descript\$3) or map\$3) and animation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:14
S18	12	(native adj function) and (position\$3) and (object or (graphic\$2 adj representation)) and (color or palette) and ((screen adj descript\$3) or (scene adj descript\$3) or map\$3) and @ad<"19990629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:16
S19	16645	(position\$3) and (object or (graphic\$2 adj representation)) and (color or palette) and ((screen adj descript\$3) or (scene adj descript\$3) or map\$3) and @ad<"19990629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:17
S20	1771	(position\$3) and (object or (graphic\$2 adj representation)) and (color or palette) and ((screen adj descript\$3) or (scene adj descript\$3) or map\$3) and animat\$3 and @ad<"19990629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:17
S21	2530	shape and animat\$3 and (palette or color) and ((screen adj descript\$3) or (scene adj descript\$3) or mapping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:19
S22	2141	((shape or object) same (position\$3)) and animat\$3 and (palette or color) and ((screen adj descript\$3) or (scene adj descript\$3) or mapping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:20
S23	1663	((shape or object) with (position\$3)) and animat\$3 and (palette or color) and ((screen adj descript\$3) or (scene adj descript\$3) or mapping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:20
S24	1479	((shape or object) with (position\$3)) and animation and (palette or color) and ((screen adj descript\$3) or (scene adj descript\$3) or mapping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:20

			T	Т		I
S25	7	((shape or object) with (position\$3)) same animation same (palette or color) same ((screen adj descript\$3) or (scene adj descript\$3) or mapping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:34
S26	. 3	(superposition\$3 with object with background) and (color or palette) and animat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:36
S27	33	(overlay\$3 with object with background) and (color or palette) and animat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 15:36
S28	3	(decod\$3 with animation) same (stb or (set adj top adj box))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 12:13
S29	6	(creat\$3 with animation) same (stb or (set adj top adj box))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 13:52
S30	119	(creat\$3 with animation) same (advertisement or commercial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 13:53
S31	0-	((creat\$3 with animation) same (advertisement or commercial)) and (digital adj decoder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 13:53
S32		((creat\$3 with animation) same (advertisement or commercial)) and (digital adj decod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 13:53

533	5	((creat\$3 with animation) same (advertisement or commercial)) and (digital near3 decod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/04/03 14:07
S34	17	(stor\$3 with sequential\$2 with memory) and (membership near3 class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/04/03 14:36
S35	0	(stor\$3 with sequential\$2 with memory) and (membership near3 class) and animation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:08
S36	1	(stor\$3 with sequential\$2 with memory) and (membership near3 class) and animat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:08
S37	31	animation and (membership near3 class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:41
S38	21	((stor\$3 with memory with sequential\$3) same (class or group)) and animat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:54
S39	0	((membership adj class) same (sequential\$3 near3 memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:54
S40	0	((membership adj class) same (sequential\$3 with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:57

				<u></u>		
S41	0	((membership near3 class) same (sequential\$3 near3 memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:55
S42	0	(graphic\$3 near3 class) same (sequential near3 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:56
S43	3	(object near3 class) same (sequential near3 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:56
S44	17	((membership adj class) same (memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 15:00
S45	10	animation same (class with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 15:44
S46	12	animation same (memory with hierarch\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 16:08
S47	512	(725/37).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 14:00